

Proposal - Summary

Quote Number: 18275814

Quote Name: 250 - White/White

Project Name: Burggraff - Residence

Sales Rep Name:

Sales Rep Phone:

Sales Rep Email:

Sales Rep Fax:

Phone Number:

Fax Number:

Quote Information

Customer Name: Red Leaf Custom Homes, LLC

Primary Phone: (701) 799-9620

Fax Number:

Mobile Phone:

Customer Number: 1009710832

Contact Name:

Great Plains #: 1005860813

Quoted Date: 6/6/2024

Order Type: Non-Installed Sales

Customer Account: 1005860813

Customer Notes: Pella Brand (Model): 250 VINYL - LIFESTYLE FRENCH DOOR
 Exterior Color: WHITE - CLASSIC WHITE ON DOOR TO MATCH VINYL COLOR
 Interior Color: WHITE - BRIGHT WHITE ON DOOR TO MATCH VINYL COLOR
 Insulated Glass Option: LOW E
 Window Hardware Color: WHITE
 Window Screen Type & Frame Color: WHITE
 Door Hardware Type & Color + Keyway: CLASSIC WHITE FRENCH DOOR WITH KEYWAY
 Door Screen: INCLUDED
 Grille Type: GBG ON SELECT UNITS
 Grille Color (interior/exterior): WHITE/WHITE
 Blinds/Shades: WHITE SLIMSHADE IN FRENCH DOOR
 Jamb Extended Wall Depth: NO JAMBS ON WINDOWS - 6 9/16" ON FD
 Hinging and Operation is viewed from the exterior, verified: RH ON FRENCH DOOR

Line #	Qty	Rough Opening	Description	Location
10	1	76" X 62"	Pella 250 Series, 2-Wide Double Hung, 75.5 X 61.5, White	Bedroom 1
15	2	32" X 18"	Pella 250 Series, Direct Set, Fixed, 31.5 X 17.5, White	Living
20	2	60" X 48"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 59.5 X 47.5, White	Dining Slider
25	1	36.75" X 82"	Lifestyle, Inswing Door, Right, 36 X 81.5, With HGP, Classic White	Dining Hinge Door
35	1	84" X 40"	Pella 250 Series, Sliding Window, Vent Right / Fixed / Vent Left, 83.5 X 39.5, White	Kitch. Slider
40	1	72" X 48"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 71.5 X 47.5, White	Master Bedroom
45	1	48" X 24"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 47.5 X 23.5, White	Garage
50	1	50.5" X 48"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White	LL Bedroom 4
55	1	50.5" X 48"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White	LL Bedroom 3
60	1	50.5" X 48"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White	LL Bedroom 2

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Customer: Red Leaf Custom Homes, LLC

Project Name: Burggraaf - Residence

Quote #: 18275814

<u>Line #</u>	<u>Qty</u>	<u>Rough Opening</u>	<u>Description</u>	<u>Location</u>
65	1	72" X 48"	Pella 250 Series, Sliding Window, Fixed / Vent Left, 71.5 X 47.5, White	LL Living
70	1		0BLTC003 - Pella Wood Patio Door Keyed-Alike Cylinder	French Dr keyway

** Indicates pricing for line is not complete. The product must be approved by Pella before final pricing will be calculated.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Thank You For Your Interest In Pella® Products

TERMS & CONDITIONS:

Quotes valid for 30 days.

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com



Proposal - Detailed

Sales Rep Name:
 Sales Rep Phone:
 Sales Rep E-Mail:
 Sales Rep Fax:

Phone:

Fax:

Customer Information	Project/Delivery Address	Order Information
<p>Red Leaf Custom Homes, LLC 1809 42nd St S</p> <p>MOORHEAD, MN 56560-7162 Primary Phone: (701) 799-9620 Mobile Phone: Fax Number: E-Mail: redleafhomesfm@outlook.com Contact Name:</p> <p>Great Plains #: 1005860813 Customer Number: 1009710832 Customer Account: 1005860813</p>	<p>Burggraaf - Residence 2112 44th St S</p> <p>Lot # Moorhead, MN 56560 County: Owner Name: Owner Phone:</p>	<p>Quote Name: 250 - White/White</p> <p>Order Number: 004 Quote Number: 18275814 Order Type: Non-Installed Sales Wall Depth: Payment Terms: Net 30 Days Tax Code: MOORHEAD Cust Delivery Date: None Quoted Date: 6/6/2024 Contracted Date: Booked Date: Customer PO #:</p>


For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
--------	-----------	------------	------------	-----	-------------

10 Bedroom 1

Pella 250 Series, 2-Wide Double Hung, 75.5 X 61.5, White

\$1,076.10 1 \$1,076.10




PK #
2167


1: 3862 Double Hung, Equal
Frame Size: 37 1/2 X 61 1/2
General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"
Exterior Color / Finish: White
Interior Color / Finish: White
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware
Screen: Full Screen, InView™
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, STC 26, OITC 22, Clear Opening Width 32.454, Clear Opening Height 25.339, Clear Opening Area 5.710777, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White


2: 3862 Double Hung, Equal
Frame Size: 37 1/2 X 61 1/2
General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8"
Exterior Color / Finish: White
Interior Color / Finish: White
Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Cam-Action Lock, White, Standard Vent Stop, No Limited Opening Hardware
Screen: Full Screen, InView™
Performance Information: U-Factor 0.29, SHGC 0.25, VLT 0.47, CPD PEL-N-211-00155-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08|11, STC 26, OITC 22, Clear Opening Width 32.454, Clear Opening Height 25.339, Clear Opening Area 5.710777, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: GBG, No Custom Grille, 3/4" Contour, Traditional (2W2H / 0W0H), White, White
Vertical Mull 1: FactoryMull, 1/2" Integral Mullion
Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 274".

Viewed From Exterior
Rough Opening: 76" X 62"

Customer Notes: ENLARGED SIZE TO MEET EGRESS FOR BEDROOM


Line #	Location:	Attributes			
15	Living	Pella 250 Series, Direct Set, Fixed, 31.5 X 17.5, White	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$125.60	2	\$251.20
	 <p>PK # 2167</p> <p>Viewed From Exterior</p> <p>Rough Opening: 32" X 18"</p>	<p>1: 3218 Fixed Direct Set Frame Size: 31 1/2 X 17 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Performance Information: U-Factor 0.27, SHGC 0.30, VLT 0.57, CPD PEL-N-240-00120-00001, Performance Class CW, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08 11, STC 28, OITC 24 Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 98".</p>			


Line #	Location:	Attributes			
20	Dining Slider	Pella 250 Series, Sliding Window, Fixed / Vent Left, 59.5 X 47.5, White	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$514.42	2	\$1,028.84
	 <p>PK # 2169</p> <p>Viewed From Exterior</p> <p>Rough Opening: 60" X 48"</p>	<p>1: 6048 Fixed / Vent Left Double Slider Frame Size: 59 1/2 X 47 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.26, VLT 0.50, CPD PEL-N-210-00185-00002, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, STC 25, OITC 22, Clear Opening Width 24.792, Clear Opening Height 43.25, Clear Opening Area 7.446208, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: GBG, No Custom Grille, 3/4" Contour, Top Row (2W2H / 2W2H), White, White Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 214". Venting Width: Equal</p>			

Line #	Location:	Attributes			
25	Dining Hinge Door	Lifestyle, Inswing Door, Left, 36 X 81.5, With HGP, White	Item Price	Qty	Ext'd Price
			\$3,509.50	1	\$3,509.50
	 <p>Viewed From Exterior Rough Opening: 36 - 3/4" X 82"</p>	<p>PK # 2169</p> <p>1: 3682 Left Inswing Door Frame Size: 36 X 81 1/2 Unit Type: No Program General Information: No Package, With Hinged Glass Panel, Clad, Pine, 7 7/8", 6 9/16", Standard Sill, Mill Finish Sill Exterior Color / Finish: Standard Enduraclad, White Interior Color / Finish: Bright White Paint Interior Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hinge Panel: Clear, Tempered Hardware Options: Standard, Satin Nickel, Order Handle Set, Multipoint Lock, No Integrated Sensor Screen: Hinge Screen, White, Satin Nickel, InView™ Unit Accessories: Snap-In Between-The-Glass Blind Bottom-Up, White, Manual Performance Information: U-Factor 0.24, SHGC 0.19, VLT 0.34, CPD PEL-N-247-00168-00001, Performance Class LC, PG 55, Calculated Positive DP Rating 55, Calculated Negative DP Rating 55, STC 34, OITC 29 Grille: No Grille, Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Factory Applied, Pella Recommended Clearance, Perimeter Length = 235".</p>			


Line #	Location:	Attributes			
35	Kitch. Slider	Pella 250 Series, Sliding Window, Vent Right / Fixed / Vent Left, 83.5 X 39.5, White	Item Price	Qty	Ext'd Price
			\$733.72	1	\$733.72
	 <p>Viewed From Exterior Rough Opening: 84" X 40"</p>	<p>PK # 2169</p> <p>1: Non-Standard Size Vent Right / Fixed / Vent Left Triple Slider Frame Size: 83 1/2 X 39 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 2 Locks, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.26, VLT 0.50, CPD PEL-N-210-00185-00002, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Clear Opening Width 18.062, Clear Opening Height 35.25, Clear Opening Area 4.421427, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: GBG, No Custom Grille, 3/4" Contour, Top Row (2W2H / 3W2H / 2W2H), White, White Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 246". Venting Width: 1/4 Vent</p>			


For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com


Line #	Location:	Attributes			
40	Master Bedroom	<p>Pella 250 Series, Sliding Window, Fixed / Vent Left, 71.5 X 47.5, White</p>  <p>Viewed From Exterior Rough Opening: 72" X 48"</p>	<p>Item Price</p> <p>\$502.72</p>	<p>Qty</p> <p>1</p>	<p>Ext'd Price</p> <p>\$502.72</p>
		<p>PK # 2167</p> <p>1: 7248 Fixed / Vent Left Double Slider Frame Size: 71 1/2 X 47 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, STC 25, OITC 22, Clear Opening Width 30.792, Clear Opening Height 43.25, Clear Opening Area 9.248292, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 238". Venting Width: Equal</p>			


Line #	Location:	Attributes			
45	Garage	<p>Pella 250 Series, Sliding Window, Fixed / Vent Left, 47.5 X 23.5, White</p>  <p>Viewed From Exterior Rough Opening: 48" X 24"</p>	<p>Item Price</p> <p>\$326.80</p>	<p>Qty</p> <p>1</p>	<p>Ext'd Price</p> <p>\$326.80</p>
		<p>PK # 2167</p> <p>1: 4824 Fixed / Vent Left Double Slider Frame Size: 47 1/2 X 23 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 35, Calculated Positive DP Rating 35, Calculated Negative DP Rating 35, Year Rated 08 11, STC 25, OITC 22, Clear Opening Width 18.792, Clear Opening Height 19.25, Clear Opening Area 2.512125, Egress Does not meet typical United States egress, but may comply with local code requirements Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 142". Venting Width: Equal</p>			


For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Line #	Location:	Attributes		
50	LL Bedroom 4	 <p>Viewed From Exterior Rough Opening: 50 - 1/2" X 48"</p>	<p>Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White</p> <p>1: Non-Standard Size Fixed / Vent Left Double Slider Frame Size: 50 X 47 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, STC 25, OITC 22, Clear Opening Width 20.042, Clear Opening Height 43.25, Clear Opening Area 6.019559, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 195". Venting Width: Equal</p>	<p>Item Price Qty Ext'd Price</p> <p>\$468.42 1 \$468.42</p>

Line #	Location:	Attributes		
55	LL Bedroom 3	 <p>Viewed From Exterior Rough Opening: 50 - 1/2" X 48"</p>	<p>Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White</p> <p>1: Non-Standard Size Fixed / Vent Left Double Slider Frame Size: 50 X 47 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, STC 25, OITC 22, Clear Opening Width 20.042, Clear Opening Height 43.25, Clear Opening Area 6.019559, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 195". Venting Width: Equal</p>	<p>Item Price Qty Ext'd Price</p> <p>\$468.42 1 \$468.42</p>

Line #	Location:	Attributes				
60	LL Bedroom 2	 <p>PK # 2167</p> <p>Viewed From Exterior Rough Opening: 50 - 1/2" X 48"</p>	<p>Pella 250 Series, Sliding Window, Fixed / Vent Left, 50 X 47.5, White</p> <p>1: Non-Standard Size Fixed / Vent Left Double Slider Frame Size: 50 X 47 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, STC 25, OITC 22, Clear Opening Width 20.042, Clear Opening Height 43.25, Clear Opening Area 6.019559, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 195". Venting Width: Equal</p>	<p>Item Price \$468.42</p>	<p>Qty 1</p>	<p>Ext'd Price \$468.42</p>

Line #	Location:	Attributes				
65	LL Living	 <p>PK # 2167</p> <p>Viewed From Exterior Rough Opening: 72" X 48"</p>	<p>Pella 250 Series, Sliding Window, Fixed / Vent Left, 71.5 X 47.5, White</p> <p>1: 7248 Fixed / Vent Left Double Slider Frame Size: 71 1/2 X 47 1/2 General Information: Standard, Vinyl, Nail Fin, No Foam Insulated, 3 1/4", 1 1/8", 2 1/8" Exterior Color / Finish: White Interior Color / Finish: White Glass: Insulated Dual Low-E Advanced Low-E Insulating Glass Argon Non High Altitude Hardware Options: Cam-Action Lock, 1 Lock, White, No Limited Opening Hardware Screen: Half Screen, InView™ Performance Information: U-Factor 0.28, SHGC 0.29, VLT 0.56, CPD PEL-N-210-00185-00001, Performance Class R, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08 11, STC 25, OITC 22, Clear Opening Width 30.792, Clear Opening Height 43.25, Clear Opening Area 9.248292, Egress Meets Typical 5.7 sqft (E) (United States Only) Grille: No Grille, Wrapping Information: Factory Applied, Pella Recommended Clearance, Perimeter Length = 238". Venting Width: Equal</p>	<p>Item Price \$502.72</p>	<p>Qty 1</p>	<p>Ext'd Price \$502.72</p>

Line #	Location:	Attributes			
70	French Dr keyway	0BLTC003 - Pella Wood Patio Door Keyed-Alike Cylinder	<u>Item Price</u>	<u>Qty</u>	<u>Ext'd Price</u>
			\$17.53	1	\$17.53
		1: Pella Parts Catalog - Templates Search Pella Parts Selector: Part Number, 0BLT, Door Hardware, Hinge Patio Door, Key Cylinders / Keylock Plugs, Pella Lifestyle Series, Stainless Steel, Unhanded, Wood Patio Door Keyed-Alike Cylinder, 0BLTC003,			
	PK # 2167				

Viewed From Exterior
Rough Opening:

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at [Insynctive.pella.com](https://www.pella.com). By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link <https://www.pella.com/california-rights-policy/> at [pella.com](https://www.pella.com).

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS. You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:

U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Including during the construction period, casement windows should never be left open and unlocked for prolong periods or during high wind conditions to avoid sash detachment/damage.

Actual sizes tested for documented STC and OITC ratings may vary from the ASTM E 1425 sizes to better represent Pella product offering.

STC and OITC ratings shown may be conservatively based on products tested with thinner panes of glass.

STC and OITC ratings may be from test results from an equivalent product.

BRANCH WARRANTY:

TERMS & CONDITIONS:

Quotes valid for 30 days.

Order Totals	
Taxable Subtotal	\$9,354.39
Sales Tax @ 7.875%	\$736.66
Non-taxable Subtotal	\$0.00
Total	\$10,091.05
Deposit Received	\$0.00
Amount Due	\$10,091.05